



JRW

AMENDMENT TRANSMITTAL LETTER				Docket No. UDK-0017
Application No. 10/790,099-Conf. #1168	Filing Date March 2, 2004	Examiner C. Raabe	Art Unit 2879	
Applicant(s): Yoshitaka Kanzaki				
Invention: ULTRA HIGH PRESSURE DISCHARGE LAMP				
<b>TO THE COMMISSIONER FOR PATENTS</b>				
Transmitted herewith is an amendment in the above-identified application.				
The fee has been calculated and is transmitted as shown below.				
CLAIMS AS AMENDED				
	Claims Remaining After Amendment	Highest Number Previously Paid	Number Extra Claims Present	Rate
Total Claims	5	- 20 =		x
Independent Claims	3	- 3 =		x
Multiple Dependent Claims (check if applicable) <input type="checkbox"/>				
Other fee (please specify):				
<b>TOTAL ADDITIONAL FEE FOR THIS AMENDMENT:</b>				0.00
<input checked="" type="checkbox"/> Large Entity <input type="checkbox"/> Small Entity				
<input type="checkbox"/> No additional fee is required for this amendment.				
<input type="checkbox"/> Please charge Deposit Account No. _____ in the amount of \$ _____. A duplicate copy of this sheet is enclosed.				
<input type="checkbox"/> A check in the amount of \$ _____ to cover the filing fee is enclosed.				
<input type="checkbox"/> Payment by credit card. Form PTO-2038 is attached.				
<input checked="" type="checkbox"/> The Director is hereby authorized to charge and credit Deposit Account No. <u>18-0013</u> as described below. A duplicate copy of this sheet is enclosed.				
<input checked="" type="checkbox"/> Credit any overpayment.				
<input checked="" type="checkbox"/> Charge any additional filing or application processing fees required under 37 CFR 1.16 and 1.17.				
 Toshikatsu Imaiizumi Attorney Reg. No. LRA 0046				
Dated: February 13, 2006				
RADER, FISHMAN & GRAUER PLLC 1233 20th Street, N.W. Suite 501 Washington, DC 20036 (202) 955-3750				



Docket No.: UDK-0017  
(PATENT)

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

---

In re Patent Application of:  
Yoshitaka Kanzaki

Application No.: 10/790,099

Confirmation No.: 1168

Filed: March 2, 2004

Art Unit: 2879

For: **ULTRA HIGH PRESSURE DISCHARGE  
LAMP**

---

Examiner: C. Raabe

**AMENDMENT IN RESPONSE TO NON-FINAL OFFICE ACTION**

MS Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

**INTRODUCTORY COMMENTS**

In response to the Office Action dated November 15, 2005, please amend the above-identified U.S. patent application as follows:

**Amendments to the Claims** are reflected in the listing of claims which begins on page 2 of this paper.

**Remarks/Arguments** begin on page 4 of this paper.